

ATOMIC RACING

FW 1718

ALPINE SKI

Art nr	SPEED	Norm	Lengde	Radius	Netto
AA8601788+	REDSTER SPEED FIS	FIS NORM	238cm	R = 96m	5 064
Art nr	DH	Norm	Lengde	Radius	Netto
	REDSTER DH FIS M	FIS NORM	218cm	R >50m	4 853
	REDSTER DH FIS W	FIS NORM	213cm	R >50m	4 853
Art nr	SG	Norm	Lengde	Radius	Netto
AA0026712+	REDSTER SG FIS M	FIS NORM	212cm	R > 45m	4 642
AA0026710+	REDSTER SG FIS W	FIS NORM	210cm	R > 40m	4 642
Art nr	SG	Norm	Lengde	Radius	Netto
AA0026708+	REDSTER SG FIS	FIS NORM	200cm	R = 35m	4 642
AA0026706+	REDSTER SG FIS	FIS NORM	192cm	R = 35m	4 642
AA0026706+	REDSTER SG FIS	FIS NORM	185cm	R = 30m	4 642
Art nr	SG SET	Norm	Lengde	Radius	Netto
AAST00862+	REDSTER SG FIS M + X20 EGA	FIS NORM	212cm	R > 45m	7 173
AAST00866+	REDSTER SG FIS M + X19 MOD	FIS NORM	212cm	R > 45m	6 752
AAST00864+	REDSTER SG FIS W + X19 MOD	FIS NORM	210cm	R > 40m	6 752
Art nr	SG SET	Norm	Lengde	Radius	Netto
AAST00868+	REDSTER SG FIS + X19 MOD	FIS NORM	200cm	R = 35m	6 752
AAST00872+	REDSTER SG FIS + X16 VAR	FIS NORM	200cm	R = 35m	6 330
AAST00876+	REDSTER SG FIS + X12 VAR	FIS NORM	200cm	R = 35m	6 119
AAST00870+	REDSTER SG FIS + X16 VAR	FIS NORM	192cm	R = 35m	6 330
AAST00874+	REDSTER SG FIS + X12 VAR	FIS NORM	192cm	R = 35m	6 119
AAST00870+	REDSTER SG FIS + X16 VAR	FIS NORM	185cm	R = 30m	6 330
AAST00874+	REDSTER SG FIS + X12 VAR	FIS NORM	185cm	R = 30m	6 119
Art nr	GS	Norm	Lengde	Radius	Netto
AA0026698+	REDSTER G9 FIS M	FIS NORM	193cm	R > 30m	4 220
AA0026696+	REDSTER G9 FIS W	FIS NORM	188cm	R > 30m	4 220

AA0026692+	REDSTER G9 FIS W	FIS NORM	183cm	R > 30m	4 220
Art nr	GS	Norm	Lengde	Radius	Netto
AA0026700+	REDSTER G9 RS	RACE STOCK	190cm	R = 27,5m	4 220
AA0026700+	REDSTER G9 RS	RACE STOCK	183cm	R = 24m	4 220
AA0026700+	REDSTER G9 RS	RACE STOCK	176cm	R = 21m	4 220
Art nr	GS	Norm	Lengde	Radius	Netto
AA0026690+	REDSTER G9 FIS	FIS NORM	186cm	26m	4 220
AA0026690+	REDSTER G9 FIS	FIS NORM	180cm	24m	4 220
AA0026690+	REDSTER G9 FIS	FIS NORM	173cm	20m	4 220
Art nr	GS	Norm	Lengde	Radius	Netto
AA0026684+	REDSTER G9 FIS J	FIS NORM	166cm	18,1m	
AA0026684+	REDSTER G9 FIS J	FIS NORM	159cm	17,3m	
Art nr	GS SET	Norm	Lengde	Radius	Netto
AAST00894+	REDSTER G9 FIS M + X20 EGA	FIS NORM	193cm	R > 30m	6 752
AAST00896+	REDSTER G9 FIS M + X19 MOD	FIS NORM	193cm	R > 30m	6 330
AAST00888+	REDSTER G9 FIS W + X19 MOD	FIS NORM	188cm	R > 30m	6 330
AAST00890+	REDSTER G9 FIS W + X19 MOD	FIS NORM	183cm	R > 30m	6 330
AAST00892+	REDSTER G9 FIS W + X16 VAR	FIS NORM	183cm	R > 30m	5 908
Art nr	GS SET	Norm	Lengde	Radius	Netto
AAST00928+	REDSTER G9 RS + X19 MOD	FIS NORM	190cm	R = 27,5m	6 330
AAST00930+	REDSTER G9 RS + X16 VAR	FIS NORM	190cm	R = 27,5m	5 908
AAST00932+	REDSTER G9 RS + X12 VAR	FIS NORM	190cm	R = 27,5m	5 697
AAST00928+	REDSTER G9 RS + X19 MOD	FIS NORM	183cm	R = 24m	6 330
AAST00930+	REDSTER G9 RS + X16 VAR	FIS NORM	183cm	R = 24m	5 908
AAST00932+	REDSTER G9 RS + X12 VAR	FIS NORM	183cm	R = 24m	5 697
AAST00928+	REDSTER G9 RS + X19 MOD	FIS NORM	176cm	R = 21m	6 330
AAST00930+	REDSTER G9 RS + X16 VAR	FIS NORM	176cm	R = 21m	5 908
AAST00932+	REDSTER G9 RS + X12 VAR	FIS NORM	176cm	R = 21m	5 697
Art nr	GS SET	Norm	Lengde	Radius	Netto
AAST00900+	REDSTER G9 FIS + X 19 MOD	FIS NORM	186cm	26m	6 329
AAST00900+	REDSTER G9 FIS + X 19 MOD	FIS NORM	180cm	24m	6 329
AAST00900+	REDSTER G9 FIS + X 19 MOD	FIS NORM	173cm	20m	6 329
AAST00902+	REDSTER G9 FIS + X 16 VAR	FIS NORM	186cm	26m	5 907

AAST00902+	REDSTER G9 FIS + X 16 VAR	FIS NORM	180cm	24m	5 907
AAST00902+	REDSTER G9 FIS + X 16 VAR	FIS NORM	173cm	20m	5 907
AAST00904+	REDSTER G9 FIS + X 12 VAR	FIS NORM	186cm	26m	5 696
AAST00904+	REDSTER G9 FIS + X 12 VAR	FIS NORM	180cm	24m	5 696
AAST00904+	REDSTER G9 FIS + X 12 VAR	FIS NORM	173cm	20m	5 696
Art nr	GS SET	Norm	Lengde	Radius	Netto
AASS01484+	REDSTER G9 FIS J + X14 TL RS	FIS NORM	166cm	18,1m	
AASS01340+	REDSTER G9 FIS J + X12 TL RS	FIS NORM	166cm	18,1m	3 714
AASS01484+	REDSTER G9 FIS J + X14 TL RS	FIS NORM	159cm	17,3m	
AASS01340+	REDSTER G9 FIS J + X12 TL RS	FIS NORM	159cm	17,3m	3 714
AAST00912+	REDSTER G9 FIS J-RP + Z12	FIS NORM	166cm	18,1m	2 996
AAST00916+	REDSTER G9 FIS J-RP + Z10	FIS NORM	166cm	18,1m	2 785
AAST00912+	REDSTER G9 FIS J-RP + Z12	FIS NORM	159cm	17,3m	2 996
AAST00916+	REDSTER G9 FIS J-RP + Z10	FIS NORM	159cm	17,3m	2 785
AAST00912+	REDSTER G9 FIS J-RP + Z12	FIS NORM	152cm	17m	2 996
AAST00916+	REDSTER G9 FIS J-RP + Z10	FIS NORM	152cm	17m	2 785
AAST00914+	REDSTER G9 FIS J-RP + Z10	FIS NORM	145cm	15m	2 785
AAST00918+	REDSTER G9 FIS J-RP + L7	FIS NORM	145cm	15m	2 659
AAST00914+	REDSTER G9 FIS J-RP + Z10	FIS NORM	138cm	14,3m	2 785
AAST00918+	REDSTER G9 FIS J-RP + L7	FIS NORM	138cm	14,3m	2 659
AAST00914+	REDSTER G9 FIS J-RP + Z10	FIS NORM	131cm	14m	2 785
AAST00918+	REDSTER G9 FIS J-RP + L7	FIS NORM	131cm	14m	2 659
Art nr	SL	Norm	Lengde	Radius	Netto
AA0026704+	REDSTER S9 FIS M	FIS NORM	165cm	R = 12,5m	4 220
AA0026702+	REDSTER S9 FIS W	FIS NORM	157cm	R = 12,7m	4 220
Art nr	SL SET	Norm	Lengde	Radius	Netto
AAST00882+	REDSTER S9 FIS M + X19 MOD	FIS NORM	165cm	R = 12,5m	6 330
AAST00884+	REDSTER S9 FIS M + X16 VAR	FIS NORM	165cm	R = 12,5m	5 908
AAST00886+	REDSTER S9 FIS M + X12 VAR	FIS NORM	165cm	R = 12,5m	5 697
AAST00878+	REDSTER S9 FIS W + X16 VAR	FIS NORM	157cm	R = 12,7m	5 908
AAST00880+	REDSTER S9 FIS W + X12 VAR	FIS NORM	157cm	R = 12,7m	5 697
Art nr	SL SET	Norm	Lengde	Radius	Netto
AASS01486+	REDSTER S9 FIS J + X14 TL RS	FIS NORM	152cm	11,5m	

AASS01342+	REDSTER S9 FIS J + X12 TL RS	FIS NORM	152cm	11,5m	3 714
AASS01488+	REDSTER S9 FIS J + X14 TL RS	FIS NORM	145cm	11m	
AASS01382+	REDSTER S9 FIS J + X12 TL RS	FIS NORM	145cm	11m	3 714
AAST00906+	REDSTER S9 FIS J-RP + Z12	FIS NORM	145cm	11m	2 996
AAST00908+	REDSTER S9 FIS J-RP + Z10	FIS NORM	145cm	11m	2 785
AAST00910+	REDSTER S9 FIS J-RP + L7	FIS NORM	145cm	11m	2 659
AAST00906+	REDSTER S9 FIS J-RP + Z12	FIS NORM	138cm	10,4m	2 996
AAST00908+	REDSTER S9 FIS J-RP + Z10	FIS NORM	138cm	10,4m	2 785
AAST00910+	REDSTER S9 FIS J-RP + L7	FIS NORM	138cm	10,4m	2 659
AAST00906+	REDSTER S9 FIS J-RP + Z12	FIS NORM	131cm	9,8m	2 996
AAST00908+	REDSTER S9 FIS J-RP + Z10	FIS NORM	131cm	9,8m	2 785
AAST00910+	REDSTER S9 FIS J-RP + L7	FIS NORM	131cm	9,8m	2 659
Art nr	SET	Norm	Lengde	Radius	Netto
AAST00926+	REDSTER J9 FIS J-RP + L7	FIS NORM	123cm	R=9,7m	2 448
AAST00926+	REDSTER J9 FIS J-RP+ L7	FIS NORM	116cm	R=9m	2 448
Art nr	SET	Norm	Lengde	Radius	Netto
AAST00936+	REDSTER J9 RS J-RP + Z10	RACE STOCK	160cm	16m	1 899
AAST00938+	REDSTER J9 RS J-RP + L7	RACE STOCK	160cm	16m	1 773
AAST00936+	REDSTER J9 RS J-RP + Z10	RACE STOCK	150cm	14m	1 899
AAST00938+	REDSTER J9 RS J-RP + L7	RACE STOCK	150cm	14m	1 773
AAST00936+	REDSTER J9 RS J-RP + Z10	RACE STOCK	140cm	12,5m	1 899
AAST00938+	REDSTER J9 RS J-RP + L7	RACE STOCK	140cm	12,5m	1 773
AAST00936+	REDSTER J9 RS J-RP + Z10	RACE STOCK	130cm	11m	1 899
AAST00938+	REDSTER J9 RS J-RP + L7	RACE STOCK	130cm	11m	1 773

ALPINE BINDINGS

Art nr	BINDING	Norm	Brake	DIN	Netto
AD5001768+	X20 EGA (black/white)		70mm	12 - 20	3 000
AD5001762+	X19 MOD (red/black)		70mm	11 - 19	2 500
AD5001764+	X16 VAR (red/black)		70mm	8 - 16	2 000
AD5001766+	X12 VAR (red/black)		70mm	4 - 12	1 750
AD5001796+	X14 TL RS OME (red/black)		76mm	6 - 14	
AD5001054+	X 12 TL RS OME (red/black)		76mm	4 - 12	

AD5001750+	Z12 (red/black)		75mm	4 -12	1 000
AD5001752+	Z10 (red/black)		75mm	3.0 - 10	750
AD5001754+	L7 (red/black)		75mm	2.0 - 7.5	650

ALPINE DISTANSEPLATER

Art nr	PLATE				Netto
AZD000112+	Distance Plate Front 1mm X20-X12 incl. Screws		1mm		125
AZD000126+	Distance Plate Front 2mm X20-X12 incl. Screws		2mm		125
AZD000128+	Distance Plate Front 3mm X20-X12 incl. Screws		3mm		125
AZD000130+	Distance Plate Rear 1mm X20 incl. Screws		1mm		125
AZD000132+	Distance Plate Rear 2mm X20 incl. Screws		2mm		125
AZD000134+	Distance Plate Rear 3mm X20 incl. Screws		3mm		125
AZD000136+	Distance Plate Rear 1mm X19 - X12 incl. Screws		1mm		125
AZD000138+	Distance Plate Rear 2mm X19 - X12 incl. Screws		2mm		125
AZD000140+	Distance Plate Rear 3mm X19 - X12 incl. Screws		3mm		125

ALPINE BOOTS

Art nr	FIS	Flex	Størrelser	Lest	Netto
AE5016980+	REDSTER FIS 170	170	23.5 - 29.5	92mm	4 000
AE5017000+	REDSTER FIS 150	150	22.5 - 29.5	92mm	3 500
AE5017020+	REDSTER FIS 130	130	22.5 - 29.5	92mm	3 000
AE5017040+	REDSTER FIS 110	110	21.5 - 27.5	92mm	2 500
Art nr	CS	Flex	Størrelser	Lest	Netto
AE5017100+	REDSTER CS 130	130	23.5 - 29.5	96mm	3 000
AE5017120+	REDSTER CS 110	110	21.5 - 29.5	96mm	2 500
AE5017060+	REDSTER CS 90 LC	90	21.5 - 27.5	96mm	2 250
AE5017080+	REDSTER CS 70 LC	70	21.5 - 27.5	96mm	1 750
Art nr		Flex	Størrelser	Lest	Netto
AE5016920+	REDSTER JR 60	60	19.5 - 26.5		1 200
AE5016940+	REDSTER JR 50	50	19.5 - 26.5		1 000

ALPINE POLES

Art nr	RACE		Størrelser		Netto
AJ5005344	REDSTER ULTRA		110, 115, 120, 125, 130, 135		653
AJ5005346	REDSTER CARBON		110, 115, 120, 125, 130, 135		522
AJ5005398	REDSTER SG		115, 120, 125, 130, 135		435
AJ5005350	REDSTER		110, 115, 120, 125, 130, 135		174
AJ5005354	REDSTER JR		70, 75, 80, 85, 90, 95, 100, 105		131
AJ5005400	REDSTER SG JR		90, 95, 100, 105, 110		261

ALPINE SKIGEAR

Art nr	BAGS	Farge	Størrelser		Netto
AL5037210	RS Trunk 130l				1 091
AL5037310	RS Pack 80l				682
AL5037410	RS Pack 45l				455
AL5037510	RS Double Ski Wheelie				864
AL5038110	Travel Pack 35l				455
AL5038610	Double Ski Bag				410

ALPINE HELMETS

Art nr	RACE	Farge	Størrelser		Netto
AN5005428	REDSTER WC AMID	white/ black	S (55-56), M (56.5-57.5), L (58-59), XL (59.5-60.5), XXL (61-62)		1 740
AN5005430	REDSTER WC AMID	red	S (55-56), M (56.5-57.5), L (58-59), XL (59.5-60.5), XXL (61-62)		1 740
AN5005432	REDSTER WC AMID	pink	S (55-56), M (56.5-57.5), L (58-59), XL (59.5-60.5), XXL (61-62)		1 740
AN5005436	REDSTER WC AMID	Marcel	S (55-56), M (56.5-57.5), L (58-59), XL (59.5-60.5), XXL (61-62)		1 740
AN5005434	REDSTER WC AMID	Mikaela	S (55-56), M (56.5-57.5), L (58-59), XL (59.5-60.5), XXL (61-62)		1 740
AN5005416	REDSTER LF SL	white/ black	S (53-56), M (56-59), L (59-62)		566
AN5005418	REDSTER LF SL	red	S (53-56), M (56-59), L (59-62)		566
AN5005420	REDSTER LF SL	pink	S (53-56), M (56-59), L (59-62)		566
AN5005438	REDSTER LF SL	Marcel	S (53-56), M (56-59), L (59-62)		566
AN5005382	REDSTER LF SL	Mikaela	S (53-56), M (56-59), L (59-62)		566
AN5005112+	SL Chin Guard REDSTER		uni		
AN5005382	SL Chin Guard		uni		

ALPINE GOGGLES

Art nr	RACE	Farge	Størrelser		Netto
AN5105466	REVENT L RS FDL HD	black	Large Fit		1 131
AN5105468	REVENT L RS FDL HD	red	Large Fit		1 131
AN5105424	REVENT S RS FDL HD	black	Small Fit		1 131
AN5105426	REVENT S RS FDL HD	red	Small Fit		1 131
AN5105470	SAVOR JR RS	red	Junior		305